



FLOURIN
SANITARY WARE
1992



Flourin Sanitary Ware

Our goal is to work hard to be the most satisfactory sanitary ware provider for all clients, and we believe we will do better with your support.

INTEGRITY

CRAFTSMANSHIP

EXCELLENCE

Flourin Sanitary Ware

A one-stop provider of sanitaryware, bathroom cabinets and hardware fittings

WHY CHOOSE US

Manufacturing Power: 30+ years of factory expertise in Chaozhou with vertically integrated production.

Certified Quality: Global compliance (CE, cUPC) featuring rimless technology and UF soft-close seats.

Export Excellence: Proven 40HQ logistics efficiency and professional B2B service for global importers.

Who We Are

1996

The Journey Begins. Started as a specialized ceramic workshop for premium aquariums and flowerpots

2003

Strategic Pivot. Successfully transitioned into the sanitary ware industry, establishing our first specialized production base

2010

Going Global. Established the International Business Department, exporting high-quality ceramics to Southeast Asia and Europe

2016

Industrial Scaling. Launched our second production base with advanced shuttle kilns to meet surging global demand

2022

Smart Manufacturing. Upgraded to fully automated glazing lines

Today

A vertically integrated leader in B2B sanitary ware, serving partners in 50+ countries

我们的目标是竭尽全力成为所有客户最满意的卫浴产品供应商, 我们相信每个客户的意见将使我们变得更好。

Our goal is to work hard to be the most satisfactory sanitary ware provider for all clients, and we believe we will do better with your support.



Scale & Speed

Production Base:
Over 10,000 m² of advanced manufacturing facilities.

Warehousing:
10,000m² storage capacity ensures rapid response and stable supply.



Expertise & Dedicated Team

Workforce:
400+ Flouriner working in synergy to secure every order.

QC Precision:
A professional QC team ensures every product meets your standards.



Advanced Manufacturing

Multi-Kiln System:
Multiple kilns ensure quality across diverse product categories.

100 Meter Tunnel Kiln:
A core fully auto tunnel kiln guarantees the capacity to meet your demand.



Raw Materials & Casting

Quality Begins at the Source. We strictly select premium kaolin clay, processed through 24-hour constant-temperature aging to ensure a refined and uniform slurry, laying a solid foundation for every piece of sanitary ware.



Precision Molding & Craftsmanship

Craftsmanship Beyond Standards. With hundreds of precision molds organized for large-scale production, every green body undergoes meticulous hand-finishing by skilled artisans after de-molding to ensure smooth lines and precise dimensions.

Quadruple Glazing Process

Quadruple Glazing for Lasting Brilliance. Utilizing comprehensive glazing technology, we ensure the surface and internal traps are fully coated with a dense glaze. Acid-resistant and anti-fouling, it makes cleaning effortless.



WELCOME TO OUR SHOWROOM & PRODUCTION



Comprehensive QC System

21 Stringent Steps for Zero-Defect Delivery. From raw materials to final loading, we implement 3 clay body inspections, 2 ceramic quality checks, and 100% water flushing tests to ensure no defect ever reaches the market.

OUR PRODUCT UNIVERSE

Comprehensive Sanitary Solutions for Global Projects

From minimalist residential bathrooms to high-traffic commercial projects, Flourin offers a full spectrum of sanitary ware. Our collections combine water-saving technology, ergonomic design, and durable ceramic craftsmanship to define the modern bathroom experience.

Water Closet Collections



One-Piece Toilets

Seamless design with powerful Tornado flushing



Close-Coupled Toilets

Reliable performance



Wall-Hung / Floor Standing Toilets & Bidets

Minimalist aesthetics



Smart Toilets

Intelligent hygiene featuring auto-flush and heated seating

Washbasin Collections



Countertop Washbasin

Artistic Options



Wall-Hung Washbasin

Space Saving



Undermount Washbasin

Versatile Sizes, Easy Clean



Pedestal Washbasin

Appropriate, flexible

Supports S-trap & P-trap for global plumbing compatibility.

Fired at 1280°C for superior ceramic density.

Self-cleaning surface with <0.5% water absorption.

Fully compliant with CE, cUPC, and WaterMark.

Seamless Construction

One Piece Toilets







Smart Toilets



FR15201

One Piece Toilet

Size 700*390*790mm
S-trap 250/300mm
Flushing Siphonic
Seat Elongated
Vitreous china



FR15202

One Piece Toilet


Size 645*365*745mm
S-trap 300mm
Flushing Siphonic
Seat Square Shape
Vitreous china






FR15203
One Piece Toilet

Size 660*400*740mm
S-trap 220/300mm
Flushing Siphonic
Seat U Shape
Vitreous china




FR15204
One Piece Toilet

Size 700*370*745mm
S-trap 300mm
Flushing Siphonic
Seat U Shape
Vitreous china




FR15205
One Piece Toilet

Size 645*360*745mm
S-trap 250/300mm
Flushing Siphonic
Seat Square Shape
Vitreous china



FR15206
One Piece Toilet

Size 740*380*710mm
S-trap 300mm
Flushing Siphonic
Seat Elongated
ADA Design
Vitreous china






FR15208

One Piece Toilet


Size 700*405*755mm
S-trap 300mm
Flushing Siphonic
Seat Elongated
Vitreous china



FR15207

One Piece Toilet


Size 660*400*740mm
S-trap 220/300mm
Flushing Siphonic
Seat U Shape
Vitreous china



FR15209

One Piece Toilet

Size 690*420*605mm
S-trap 300mm
Flushing Siphonic
Seat Elongated
Vitreous china



Smart Toilet



Instant Heating
Auto-Flushing
Auto-Flip Cover
Intelligent Bidet



Temperature, Pressure, Position and Remote Control
No Water Pressure Restrictions

SAFETY & STRUCTURE

Water-Electricity Isolation
Ensures 100% operational safety

Zero Pressure Flush
Powerful performance regardless
of water pressure

Patented Leak-Proofing
Proprietary design for long-term reliability

Modular Architecture
Fast maintenance and easy part replacement

Integrated One-Piece
Streamlined design for quick installation



PERFORMANCE & HYGIENE

Whisper-Quiet (36dB)
Advanced duct design for silent operation

Super Cyclone Siphonic
High-efficiency, 360° deep cleaning

Dual-Stage Filtration
Integrated filter extends system lifespan

Antibacterial Self-Cleaning
Medical-grade nozzle for ultimate hygiene



FR75101
Floor Standing Smart Toilet






Jet Black



Premium Gray



Platinum Dust Silver



PRODUCT INFORMATION

Size: 680x410x460mm Pit distance: 300/400mm
Heating: instant heating Flushing: jet siphon type Drainage: floor drainage

Simplified version					No water pressure requirement					No washing/No drying/No display screen/No remote control				
Manual flip cover	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control	Smart Size Adjustment										

Simplified Automatic Version					No water pressure requirement					No washing/No drying/No display screen				
Doorbell Remote Control	Auto-flip cover	Foam Shield Deodorizer	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control	Smart Size Adjustment								

Standard version					No water pressure requirement									
Remote control operation	Manual flip cover	Foam Shield Deodorizer	Bidet	Warm air drying	High-definition display screen	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control	Smart Size Adjustment					

High configuration version					No water pressure requirement									
Remote control operation	Auto-flip cover	Capacitor foot-operated flush	Foam Shield Deodorizer	Bidet	Warm air drying	High-definition display screen	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control	Smart Size Adjustment				

Top-of-the-line version					No water pressure requirement									
Voice Control	Remote control operation	Auto-flip cover	Capacitor foot-operated flush	Foam Shield Deodorizer	Bidet	Warm air drying	High-definition display screen	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control				
Smart Size Adjustment														

basic function


Super vortex flushing	Reciprocating cleaning	Strong and weak massage	Children's cleaning	Off seat flushing	Pipe position adjustment	Leakage protection	Warm air drying	Prevent low-temperature burns	Intelligent size punch	Power outage flushing
Water pressure regulation	Seat induction	Water temperature regulation	Remote control flushing	Wind and temperature regulation	Digital display	Seat heating	Four season warmth sensation	Hip cleaning	Female cleaning	Side button
Self deaning nozzle	Slowly lowering the cover plate	Sedentary reminder	ABS antibacterial spray bar	Intelligent remote control						



FR75102

Floor Standing Smart Toilet





PRODUCT INFORMATION

Size: 680x410x460mm Pit distance: 300/400mm

Heating: instant heating Flushing: jet siphon type Drainage: floor drainage

Simplified version No water pressure requirement No washing/No drying/No display screen/No remote control

Manual flip cover | Capacitor foot-operated flush | Sedentary Reminder | Year-round temperature control | Smart Size Adjustment

Simplified Automatic Version No water pressure requirement No washing/No drying/No display screen

Doorbell Remote Control | Auto-flip cover | Foam Shield Deodorizer | Capacitor foot-operated flush | Sedentary Reminder | Year-round temperature control | Smart Size Adjustment

Standard version									
No water pressure requirement									
Remote control operation	Manual flip cover	Foam Shield Deodorizer	Bidet	Warm air drying	High-definition display screen	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control	Smart Size Adjustment


High configuration version										
No water pressure requirement										
Remote control operation	Auto-flip cover	Capacitor foot-operated flush	Foam Shield Deodorizer	Bidet	Warm air drying	High-definition display screen	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control	Smart Size Adjustment

Top-of-the-line version										
No water pressure requirement										
Voice Control	Remote control operation	Auto-flip cover	Capacitor foot-operated flush	Foam Shield Deodorizer	Bidet	Warm air drying	High-definition display screen	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control
Smart Size Adjustment										

basic function										
Super vortex flushing	Reciprocating cleaning	Strong and weak massage	Children's cleaning	Off seat flushing	Pipe position adjustment	Leakage protection	Warm air drying	Prevent low-temperature burns	Intelligent size punch	Power outage flushing
Water pressure regulation	Seat induction	Water temperature regulation	Remote control flushing	Wind and temperature regulation	Digital display	Seat heating	Four season warmth sensation	Hip cleaning	Female cleaning	Side button
Self cleaning nozzle	Slowly lowering the cover plate	Sedentary reminder	ABS antibacterial spray bar	Intelligent remote control						

FR75103
Floor Standing Smart Toilet





PRODUCT INFORMATION

Size: 590x380x480mm Pit distance: 300/400mm

Heating: instant heating Flushing: jet siphon type Drainage: floor drainage

Simplified version No water pressure requirement

No washing/No drying/No display screen/No remote control

Manual flip cover	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control	Smart Size Adjustment
-------------------	-------------------------------	--------------------	--------------------------------	-----------------------

Simplified Automatic Version No water pressure requirement

No washing/No drying/No display screen

Doorbell Remote Control	Auto-flip cover	Foam Shield Deodorizer	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control	Smart Size Adjustment
-------------------------	-----------------	------------------------	-------------------------------	--------------------	--------------------------------	-----------------------

Standard version

Remote control operation	Manual flip cover	Foam Shield Deodorizer	Bidet	Warm air drying	High-definition display screen	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control	Smart Size Adjustment
--------------------------	-------------------	------------------------	-------	-----------------	--------------------------------	-------------------------------	--------------------	--------------------------------	-----------------------

High configuration version No water pressure requirement

Remote control operation	Auto-flip cover	Capacitor foot-operated flush	Foam Shield Deodorizer	Bidet	Warm air drying	High-definition display screen	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control	Smart Size Adjustment
--------------------------	-----------------	-------------------------------	------------------------	-------	-----------------	--------------------------------	-------------------------------	--------------------	--------------------------------	-----------------------

Top-of-the-line version

Voice Control	Remote control operation	Auto-flip cover	Capacitor foot-operated flush	Foam Shield Deodorizer	Bidet	Warm air drying	High-definition display screen	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control
Smart Size Adjustment										

basic function

Super vortex flushing	Reciprocating cleaning	Strong and weak massage	Children's cleaning	Off seat flushing	Pipe position adjustment	Leakage protection	Warm air drying	Prevent low-temperature burns	Intelligent size punch	Power outage flushing
Water pressure regulation	Seat induction	Water temperature regulation	Remote control flushing	Wind and temperature regulation	Digital display	Seat heating	Four season warmth sensation	Hip cleaning	Female cleaning	Side button
Self cleaning nozzle	Slowly lowering the cover plate	Sedentary reminder	ABS antibacterial spray bar	Intelligent remote control						



FR75104

Floor Standing Smart Toilet





Simplified version No water pressure requirement No washing/No drying/No display screen/No remote control

Manual flip cover | Capacitor foot-operated flush | Sedentary Reminder | Year-round temperature control | Smart Size Adjustment

Simplified Automatic Version No water pressure requirement No washing/No drying/No display screen

Doorbell Remote Control | Auto-flip cover | Foam Shield Deodorizer | Capacitor foot-operated flush | Sedentary Reminder | Year-round temperature control | Smart Size Adjustment

Standard version

Remote control operation | Manual flip cover | Foam Shield Deodorizer | Bidet | Warm air drying | High-definition display screen | Capacitor foot-operated flush | Sedentary Reminder | Year-round temperature control | Smart Size Adjustment

High configuration version No water pressure requirement


Remote control operation | Auto-flip cover | Capacitor foot-operated flush | Foam Shield Deodorizer | Bidet | Warm air drying | High-definition display screen | Capacitor foot-operated flush | Sedentary Reminder | Year-round temperature control | Smart Size Adjustment

Top-of-the-line version No water pressure requirement

Voice Control | Remote control operation | Auto-flip cover | Capacitor foot-operated flush | Foam Shield Deodorizer | Bidet | Warm air drying | High-definition display screen | Capacitor foot-operated flush | Sedentary Reminder | Year-round temperature control | Smart Size Adjustment

basic function

Super vortex flushing	Reciprocating cleaning	Strong and weak massage	Children's cleaning	Off seat flushing	Pipe position adjustment	Leakage protection	Warm air drying	Prevent low-temperature burns	Intelligent size punch	Power outage flushing
Water pressure regulation	Seat induction	Water temperature regulation	Remote control flushing	Wind and temperature regulation	Digital display	Seat heating	Four season warmth sensation	Hip cleaning	Female cleaning	Side button
Self cleaning nozzle	Slowly lowering the cover plate	Sedentary reminder	ABS antibacterial spray bar	Intelligent remote control						



PRODUCT INFORMATION


Size: 590x380x480mm Pit distance: 300/400mm


Heating: instant heating Flushing: jet siphon type Drainage: floor drainage



FR75105

Floor Standing Smart Toilet





PRODUCT INFORMATION

Size: 590x380x468mm Pit distance: 300/400mm
Heating: instant heating Flushing: jet siphon type Drainage: floor drainage

Simplified version					No water pressure requirement					No washing/No drying/No display screen/No remote control				
Manual flip cover	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control	Smart Size Adjustment										

Simplified Automatic Version					No water pressure requirement					No washing/No drying/No display screen				
Doorbell Remote Control	Auto-flip cover	Foam Shield Deodorizer	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control	Smart Size Adjustment								

Standard version														
Remote control operation	Manual flip cover	Foam Shield Deodorizer	Bidet	Warm air drying	High-definition display screen	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control	Smart Size Adjustment					

High configuration version														
Remote control operation	Auto-flip cover	Capacitor foot-operated flush	Foam Shield Deodorizer	Bidet	Warm air drying	High-definition display screen	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control	Smart Size Adjustment				

Top-of-the-line version														
Voice Control	Remote control operation	Auto-flip cover	Capacitor foot-operated flush	Foam Shield Deodorizer	Bidet	Warm air drying	High-definition display screen	Capacitor foot-operated flush	Sedentary Reminder	Year-round temperature control				
Smart Size Adjustment														


basic function


Super vortex flushing	Reciprocating cleaning	Strong and weak massage	Children's cleaning	Off seat flushing	Pipe position adjustment	Leakage protection	Warm air drying	Prevent low-temperature burns	Intelligent size punch	Power outage flushing
Water pressure regulation	Seat induction	Water temperature regulation	Remote control flushing	Wind and temperature regulation	Digital display	Seat heating	Four season warmth sensation	Hip cleaning	Female cleaning	Side button
Self cleaning nozzle	Slowly lowering the cover plate	Sedentary reminder	ABS antibacterial spray bar	Intelligent remote control						



FR75106

Floor Standing Smart Toilet





PRODUCT INFORMATION

Size: 590x380x468mm Pit distance: 300/400mm
Heating: instant heating Flushing: jet siphon type Drainage: floor drainage

Simplified version No water pressure requirement No washing/No drying/No display screen/No remote control

Manual flip cover | Capacitor foot-operated flush | Sedentary Reminder | Year-round temperature control | Smart Size Adjustment

Simplified Automatic Version No water pressure requirement No washing/No drying/No display screen

Doorbell Remote Control | Auto-flip cover | Foam Shield Deodorizer | Capacitor foot-operated flush | Sedentary Reminder | Year-round temperature control | Smart Size Adjustment

Standard version

Remote control operation | Manual flip cover | Foam Shield Deodorizer | Bidet | Warm air drying | High-definition display screen | Capacitor foot-operated flush | Sedentary Reminder | Year-round temperature control | Smart Size Adjustment

High configuration version No water pressure requirement

Remote control operation | Auto-flip cover | Capacitor foot-operated flush | Foam Shield Deodorizer | Bidet | Warm air drying | High-definition display screen | Capacitor foot-operated flush | Sedentary Reminder | Year-round temperature control | Smart Size Adjustment

Top-of-the-line version No water pressure requirement

Voice Control | Remote control operation | Auto-flip cover | Capacitor foot-operated flush | Foam Shield Deodorizer | Bidet | Warm air drying | High-definition display screen | Capacitor foot-operated flush | Sedentary Reminder | Year-round temperature control | Smart Size Adjustment

basic function

Super vortex flushing	Reciprocating cleaning	Strong and weak massage	Children's cleaning	Off seat flushing	Pipe position adjustment	Leakage protection	Warm air drying	Prevent low-temperature burns	Intelligent size punch	Power outage flushing
Water pressure regulation	Seat induction	Water temperature regulation	Remote control flushing	Wind and temperature regulation	Digital display	Seat heating	Four season warmth sensation	Hip cleaning	Female cleaning	Side button
Self cleaning nozzle	Slowly lowering the cover plate	Sedentary reminder	ABS antibacterial spray bar	Intelligent remote control						




FR75207
Floor Standing Smart Toilet



NON-ELECTRIC VERSION





No Electricity No Cleaning Version

Manual flip cover | Foot-operated flush | No water pressure restrictions

Non-powered belt cleaning version

Manual flip cover | Foot-operated flush | No water pressure restrictions | One-touch knob | Butt Wash | Gentle Feminine Wash

basic function

Super Vortex Flush Buttock Wash Feminine Wash Side Knob Kick Flush Soft-Close Lid

PRODUCT INFORMATION

Size: 680x410x460mm Pit distance: 300/400mm

Heating: instant heating Flushing: jet siphon type Drainage: floor drainage




FR75208

Floor Standing Smart Toilet



NON-ELECTRIC VERSION





No Electricity No Cleaning Version

Manual flip cover | Foot-operated flush | No water pressure restrictions

Non-powered belt cleaning version

Manual flip cover | Foot-operated flush | No water pressure restrictions | One-touch knob | Butt Wash | Gentle Feminine Wash

basic function

Super Vortex Flush Buttock Wash Feminine Wash Side Knob Kick Flush Soft-Close Lid

PRODUCT INFORMATION

Size: 680x410x460mm Pit distance: 300/400mm

Heating: instant heating Flushing: jet siphon type Drainage: floor drainage



Instagram - @Flourintech

Facebook Pages - Flourin Sanitary Ware

X - @Flourintech

Linkedin - Flourin Sanitary Ware

Wechat - 13192284681

WhatsApp - +44 7541957248



T +86 13192284681

E zibo@flourintech.com

W www.flourintech.com

Headquartered in Guangdong, China

GuWu Industrial Zone, Guxiang Town, Chaozhou City, 515647 P.R.CHINA

